

Having described my invention, I claim:

- Sub a1*
1. A wristwatch guard for protecting a wristwatch, comprised of a watch body and a watch band, worn on a user's wrist, comprising:
- a. a circular band of elastomeric material, having an upper portion and a lower portion, wherein said lower portion is transected by an adjustment break which allows the diameter of said circular band to be adjusted to accommodate variation in the diameter of said wrist of said user;
 - b. wherein said upper portion opens into a body cutout passing completely therethrough, having a first end and a second end, with said body cutout being oriented transverse to the central axis of said wrist of said user, and being large enough to allow the passage of said watch body therethrough ;
 - c. wherein said upper portion opens into a first band cutout passing completely therethrough, being positioned near said first end of said body cutout, and being oriented parallel to said central axis of said wrist of said user, and being large enough to allow the passage of said watch band therethrough; and
 - d. wherein said upper portion opens into a second band cutout passing completely therethrough, being positioned near said second end of said body cutout, and being oriented parallel to said central axis of said wrist of said user, and being large enough to allow the passage of said watch band therethrough.

- The device as recited in claim 1, wherein
cover flap, attached to said guard band,
portion thereby protecting said wristwa
- The device as recited in claim 1, wherein
storage pocket having a pocket opening
items.

-

5. A wristwatch guard for protecting a wristwatch, comprised of a watch body and a watch band, worn on a user's wrist, comprising:
- a. a circular band of elastomeric material sized to cover said wristwatch on said wrist of said user; and
 - b. a storage pocket, attached to said circular band, having a pocket opening for the insertion and storage of small items.

- [illegible]